

Grays Harbor County

Community Health Profile

July 2013





Published By:

Grays Harbor County Public Health and Social Services 2109 Sumner Avenue Aberdeen, WA 98520

Phone: 360-532-8631

www.HealthyGH.org

Overview		1
Primary Sources of Data	2	
How to Read our Charts	3	
Indicators of Overall Health Status	4	
Themes	10	
The Social & Economic Context of Health		7
Education & Economics		/
Themes		
Youth & Families in Crisis		
Themes		
Mental health	41	
Themes	46	
Health Behaviors		47
Tobacco, Alcohol and Other Drugs	48	
Themes	62	
Safety		
Themes		
Nutrition & Physical Activity		
Themes		
Health Outcomes		77
Hospitalization Rates		
Themes		
Death Rates		
		00
Health Care Access & Utilization		86
Themes	98	





Overview

Primary Sources of Data	. 2
How to Read our Charts	
Indicators of Overall Health Status	
Themes	

Primary Sources of Data

- County Health Rankings
 - www.countyhealthrankings.org
- Behavioral Risk Factor Surveillance System
 - <u>www.doh.wa.gov</u> search for "Behavioral Risk Factor Surveillance System"
- Healthy Youth Survey
 - www.askhys.net
- Comprehensive Hospital Abstract Reporting System (CHARS)
 - <u>www.doh.wa.gov</u> search for "CHARS"
- Local Public Health Indicators
 - <u>www.doh.wa.gov</u> search for "LPHI website"
- American Community Survey
 - <u>www.census.gov/acs</u>

This report is accessible through our website: www.HealthyGH.org

 Online users can "click" on the source at the bottom of each slide to navigate to the source of the data

How to Read our Charts


- Blue generally represents Grays Harbor data
- Green generally represents the Washington state average

Error bars are shown when possible

(using 95% confidence intervals)

Error bars that don't
"overlap" mean that the
difference between Grays
Harbor and the State is
very unlikely to be due to
chance – i.e. it is a "real"
difference


If error bars "overlap" the difference between Grays Harbor and the state could be "real," or could be due to chance – a difference cannot be proven statistically.






INDICATORS OF OVERALL HEALTH

A Picture of Today: Health Outcomes



Source: University of Wisconsin Population Health Institute, County Health Rankings. Retrieved March 2013 from www.countyhealthrankings.org

Concerns about Tomorrow: Health Factors




Source: University of Wisconsin Population Health Institute, County Health Rankings. Retrieved March 2013 from www.countyhealthrankings.org




Life Expectancy at Birth, 2000-2010

The average life expectancy of Grays Harbor residents has increased by more than 2 years since 2000, but we still live about 3 years less than other Washington residents.





Years of Healthy Life Expected at Age 20, 2008-09



What are we dying from?

Top 10 causes of death

- Heart disease
- Cancer
- Other diseases
- Chronic lung disease
- Alzheimer's disease
- Accidents
- Diabetes
- Infectious and parasitic diseases
- Liver disease
- Suicide

REAL causes of death

- Tobacco use
- Improper diet
- Lack of physical activity
- Alcohol misuse
- Microbial/toxic agents
- Firearm misuse
- Unsafe sexual behavior
- Motor vehicle crashes
- Use of illicit drugs

M

- We are sick more and die younger than people in other parts of Washington.
- Science tells us that our level of health is strongly linked to our behavior – meaning that much of what makes us sick can be prevented.

So what?

Increasing prevention resources will decrease poor health outcomes and thus decrease the need for costly health care in the future.






The Social and Economic Context of Health

Education & Economics	1	2
Themes	22	
Youth & Families in Crisis		3
Themes	40	
Mental health		1
Themes		
Themes	46	




EDUCATION & ECONOMICS

Educational Attainment of Adults, 2011




Source: U.S. Census Bureau. 2011 American Community Survey. Retrieved January 2013 from http://factfinder2.census.gov

Median Income, 2011



Unemployment, 1990-2011

Unemployment in Grays Harbor mirrors state and national trends, but at a much higher rate.




Poverty, 2009 & 2011


Federal Poverty Level = an annual income of \$10,980 for 1 person; \$22,350 for a family of 4



Food Stamp Recipients, 1999-2012




Students Qualified for Free or Reduced Lunch Prices at School, 2011-2012




Source: Washington State Office of Superintendent of Public Instruction. Retrieved January 2013 from http://reportcard.ospi.k12.wa.us/DataDownload.aspx

Students Reporting Food Insecurity, 2012



Housing Distress, 2000 & 2010

Households Where Housing Costs are More Than 30% of Income



DSHS Service Use Rates, 2009

Overall use rates

– Grays Harbor County: 46%

– Washington: 35%



M

- The traditional resource-based economy which provided family-wage jobs has eroded
- We have less formal education than the state average
- Housing and other costs of living are lower than in other areas, but many are still struggling
- We are more dependent on public assistance programs

So what? Science shows that these factors are all associated with poorer health status, and this effect on our communities is apparent in the information that follows.




Begin at the Beginning: Fertility


- Many births result from unintended pregnancy (49% statewide; local data not available)
- Most births occur to women aged 25-29
- Premature birth and low birth weight rates are comparable to state average
- Our mothers are **younger** (11% under age 20 in 2011) and **less educated** than the state average

Student Sexual Behavior, 2012

Students Who Have Had Intercourse




12th Graders Reporting Selected Behaviors




Source: Washington State Department of Health. 2012 Healthy Youth Survey.

Condom Use, 2012

(Among students who've had intercourse)



Teen Pregnancy & the Poverty Cycle, 2007-2011




Live Births Per


15-17

& 18-19


Students Living With Poor Family Management, 2012




Youth With a Supportive Adult, 2012



Community Opportunities for "Pro-Social Involvement", 2012




Children in Accepted CPS Referrals, 2011




Source: Washington State Department of Social and Health Services, Research and Data Analysis Division. Risk and Protection Profile for Substance Abuse Prevention in Grays Harbor County. Retrieved January 2013 from http://clientdata.rda.dshs.wa.gov/

Students Reporting Family Violence


Ever Been Physically Abused By an Adult, 2012



Ever Witnessed Adult-to-Adult Violence, 2010




Domestic Violence Offenses, 2010




Source: Washington State Department of Social and Health Services, Research and Data Analysis Division. Risk and Protection Profile for Substance Abuse Prevention in Grays Harbor County. Retrieved January 2013 from http://clientdata.rda.dshs.wa.gov/

Youth Dating Violence, 2012




Students Reporting Being Bullied Once a Week or More, 2012






 $Source: Washington \ State \ Department \ of \ Health. \ 2012 \ Healthy \ Youth \ Survey.$


Students Reporting Gang Membership In the Last 12 Months, 2012



Adolescent Arrests, 2011




Adult Violent Crime Arrests, 2011



Source: Washington State Department of Social and Health Services, Research and Data Analysis Division. Risk and Protection Profile for Substance Abuse Prevention in Grays Harbor County. Retrieved June 2013 from http://clientdata.rda.dshs.wa.gov/

Prisoners in State Correctional System




Source: Washington State Department of Social and Health Services, Research and Data Analysis Division. Risk and Protection Profile for Substance Abuse Prevention in Grays Harbor County. Retrieved March 2011 from http://clientdata.rda.dshs.wa.gov/
39

M

- Many families are in a cycle of poverty perpetuated by early childbearing
- Many parents lack good role models; there is too much child abuse and neglect
- Young people report a lack of adult mentorship and engagement in their lives
- Family violence is a problem and can be seen perpetuating itself in youth violence and emotional distress
- Our community and schools offer some opportunities but many young people lack the skills or support to benefit from them.

So what?


Without active intervention, the cycle of poverty, family disorganization, will repeat itself. Committed action over time is required to change this picture.




MENTAL HEALTH


When asked "Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?" Grays Harbor's adults reported an average of 1 day more than adults statewide. While the state average has stayed level, local adults are reporting more poor mental health days than they did in previous years.

Adults: Average Number of Poor Mental Health Days in the Past Month




Adults: Inadequate Social Support, 2005-10





Serious Suicidal Thoughts in the Past 12 Months
Among Youth, 2012



M

- Many adults and youth report poor mental health.
- Many adults report feeling isolated and unsupported.
- Many of our youth have seriously thought about suicide.

So vhat?

Research increasingly suggests that traumatic events, especially in childhood, impact not only mental health and substance abuse risk but also the risk for other chronic diseases.






Health Behaviors


Tobacco, Alcohol and Other Drugs	48
Themes	
Safety	63
Themes	
Nutrition & Physical Activity	 69
Themes	




TOBACCO, ALCOHOL AND OTHER DRUGS

Current Smoking Among Youth, 2012






Age at First Cigarette Use, 12th Graders (Among those who have ever smoked)



Source: Washington State Department of Health. 2012 Healthy Youth Survey.


Adult Smoking






Sources: Washington State Department of Health, Tobacco Prevention and Control Program.

Exposure to Tobacco Smoke, 12th Graders, 2012




Smokeless Tobacco, 2012




Source: Washington State Department of Health. 2012 Healthy Youth Survey.


Adults: Excessive Drinking, 2005-2011



Current Alcohol Use Among Students, 2012




Current Marijuana Use Among Students, 2012




Current Use of Any Illegal Drug Among Students, 2012





Current Use of "Painkillers" To Get High Among Students, 2012




Student Perceptions 2012: How big a deal is youth alcohol and drug use?


Permissive Laws/Norms

100% About 1 in 3 students report that the adults in 90% their neighborhood don't think it's wrong to use drugs and that, if someone did use drugs, 80% they wouldn't be caught by police. 70% 60% 50% 40% 30% 20% 10% 0% 6th Grade 10th Grade 12th Grade 8th Grade **Grays Harbor** Washington State

Low Perception of Risk




Use Rates for State-Funded Alcohol or Drug Treatment Services, 2010




Source: Washington State Department of Social and Health Services, Research and Data Analysis Division. Risk and Protection Profile for Substance Abuse Prevention in Grays Harbor County. Retrieved March 2013 from http://clientdata.rda.dshs.wa.gov/
59

Adult Drug and Alcohol-Related Arrests, 2010



Source: Washington State Department of Social and Health Services, Research and Data Analysis Division. Risk and Protection Profile for Substance Abuse Prevention in Grays Harbor County. Retrieved March 2013 from http://clientdata.rda.dshs.wa.gov/
60

Property Crime Arrests By Age, 2010



Source: Washington State Department of Social and Health Services, Research and Data Analysis Division. Risk and Protection Profile for Substance Abuse Prevention in Grays Harbor County. Retrieved March 2013 from http://clientdata.rda.dshs.wa.gov/
61

M

- Substance abuse is prevalent and often co-occurs with mental health problems.
- Local youth start using tobacco, alcohol and drugs of abuse earlier than their peers statewide.
- The misuse of prescription drugs is an emerging problem and often results in opiate addiction.
- Substance abuse and mental health issues are inextricably linked to poor family management, adverse childhood events, crime, and chronic disease.


So what?

Direct and purposeful action is required to change family and cultural norms around the use of alcohol and drugs of abuse in order to change this picture.




SAFETY


Youth Bike Helmet Use, 2012




Youth Riding in a Car with a Drinking Driver, 2012



Motor Vehicle Accidents, 2002-11



Perceived Availability of Handguns, 2012



T

H

Ε

M

E

C

- **Bike helmet use** appears less consistent than for youth statewide.
- Our youth perceive that firearms are more prevalent.
- Injuries are often associated with the use of drugs and alcohol.


So what? Motor vehicle injuries and drowning are a particular concern, and intervention here could save lives. Interventions that reduce family disorganization, violence, and drug and alcohol use could also have an impact.



NUTRITION & PHYSICAL ACTIVITY

Adults Consuming 5 or More Servings of Fruits and Vegetables Per Day, 2009






Source: Source: Washington State Department of Health. 2013 Local Public Health Indicators. Retrieved July2013 from


<u>https://fortress.wa.gov/doh/lphi/RecordSet.mvc/DetailsForIndicatorTrend?indicatorId=5&referenceCycle=1&testCycle=3</u>

Adults Meeting Physical Activity Recommendations, 2009




Adult Obesity, 2009-2010


A body mass index 30 or greater is considered "obese". Body mass index is determined by a person's height and weight. For example, a 5' 5" person weighing 150 lbs. is overweight; a 5' 5" person weighing 180 lbs. is obese.



Youth Consuming 5 or More Servings of Fruit and Vegetables Per Day, 2012




Youth Who Are Physically Active at Least 60 Minutes Every Day, 2012



Youth: Overweight and Obesity, 2012

Percent of Students Who Are Overweight or Obese



"Obese" includes students who are in the top 5% for body mass index by age and gender based on growth charts developed by the Centers for Disease Control and Prevention (2000). "Overweight" includes students who are in the top 15% but not the top 5%.

M

- Too few youth eat enough fruits and vegetables
- Our youth and adults are more physically active than their peers statewide
- We are sick longer and die younger from chronic diseases related to
 - Poor diet
 - Physical inactivity

So vhat?

The heavy burden of chronic disease in our communities is not surprising in the context of information about our health behaviors, and changed behavior is the key to reducing this burden.





Health Outcomes

Hospitalization Rates	 78
Themes	
Death Rates	82
Themes	



HOSPITALIZATION RATES

Age-Adjusted Hospitalization Rates, 2011



Leading Causes of Hospitalization, 2011

Percentage of all hospitalizations

Diseases of the circulatory system	16%
Certain conditions originating in the perinatal period	8%
Complications of pregnancy; childbirth; and the puerperium	9%
Diseases of the digestive system	9%
Diseases of the respiratory system	9%
Injury and poisoning	8%
Diseases of the musculoskeletal system and connective tissue	8%
Infectious and parasitic diseases	7%
Mental Illness	5%
Diseases of the genitourinary system	6%

M

- We are hospitalized at a significantly higher rate than Washington state.
- Many of our hospitalizations are preventable, such as injuries and chronic disease complications.


So what?

Investing in prevention, such as chronic disease management classes, could help reduce our rate of hospitalization.



DEATH RATES

Age-Adjusted Death Rates, 2011



Leading Causes of Death, 2011

Percentage of all deaths

Major cardiovascular diseases	30%
Malignant neoplasms	24%
All other diseases (Residual)	9%
Chronic lower respiratory diseases	9%
Alzheimer's disease	6%
Accidents	4%
Diabetes mellitus	3%
Infectious and Parasitic Disease	3%
Chronic liver disease and cirrhosis	2%
Intentional self-harm (suicide)	1%

M

- We die at a significantly higher rate than Washington state.
- One-third of deaths are due to major cardiovascular diseases, which could be prevented through improved diet and increased physical activity.

So vhat?

Encouraging healthy eating and physical activity could prevent deaths due to major cardiovascular diseases.






Health Care Access and Utilization

Themes.......98


Primary Care Physician Coverage Rate, 2011-12

We have a severe shortage of primary care physicians




Source: University of Wisconsin Population Health Institute, County Health Rankings. Retrieved March 2013 from http://www.countyhealthrankings.org


Adults With Unmet Medical Needs, 2009-10



Health Insurance Coverage, 2009-10




Medicaid Eligibility, 2012



Source: Washington State Department of Social and Health Services, Research and Data Analysis Division. Client counts and service costs. Retrieved March 2013 from http://clientdata.rda.dshs.wa.gov/


Payor Mix, Grays Harbor Community Hospital, 2010




^{*} Commercial refers to payment by Champus or Regence, Blue Cross, or other private health plans

^{**}Healthy Options is a state-subsidized managed care insurance plan. Source: Grays Harbor Community Hospital


Prenatal Care Initiation Trends, Grays Harbor County, 2000-2011




Preschool Immunization Coverage, 2009



Well Child Care in the Past 12 Months, 2010




Adults Receiving Recommended Cancer Screenings




Source: Washington State Department of Health, Key Health Indicators. Retrieved March 2013 from https://fortress.wa.gov/doh/lphi/RecordSet.mvc/DetailsForJurisdictionSectionSectionId=8&jurisdictionId=54&cycle=3

Dental Care in the Past 12 Months, Youth 2012



Adult dental care: Percent of adults who saw a dentist in the past 12 months, 2010



M

- We have significant populations of people without access to routine health care
- Access to dental care is a serious problem for people on Medicaid and without insurance
- Preschool immunization coverage is better than the state average
- Early prenatal care has been a concern but access appears to be improving in the past few years

So what?

This heavy use of the most expensive health services could be reduced by more resources and attention paid to supporting behavior changes through specific action at all levels - individual, family, systems, and community.